

## S1C17 マニュアル 正誤表

項目 パッケージ			
対象マニュアル	発行 No.	項目	ページ
S1C17653 テクニカルマニュアル	412355700	表 1.1.1 特長 出荷形態1	1-2
		1.3.1 端子配置図	1-3
		1.3.2 端子説明	1-5
		24 パッケージ/チップ	24-1
S1C17656 テクニカルマニュアル	412745000	表 1.1.1 特長 出荷形態 2	1-2
		1.3.1 端子配置図	1-5
		1.3.2 端子説明	1-6
		24 パッケージ	24-1

S1C17653

1-2 ページ

(誤) TQFP14-80pin (14mm × 14mm × 1mm, 端子ピッチ: 0.5mm)  
(正) QFP14-80pin (14mm × 14mm × 1.4mm, 端子ピッチ: 0.5mm)

1-3 ページ、1-5 ページ

(誤) TQFP14-80pin (正) QFP14-80pin (誤) TQFP (正) QFP

24-1 ページ

(誤)

**24.1 TQFPパッケージ**

TQFP14-80pinパッケージ

(単位: mm)

図24.1.1 TQFP14-80pinパッケージ寸法

(正)

**24.1 QFPパッケージ**

QFP14-80pinパッケージ

(単位: mm)

図24.1.1 QFP14-80pinパッケージ寸法

S1C17656

1-2 ページ

(誤) TQFP14-80pin (14mm × 14mm × 1mm, 端子ピッチ: 0.5mm)  
(正) QFP14-80pin (14mm × 14mm × 1.4mm, 端子ピッチ: 0.5mm)

1-5 ページ、1-6 ページ

(誤) TQFP14-80pin (正) QFP14-80pin (誤) TQFP14-80 (正) QFP14-80

24-1 ページ

(誤)

## 24 パッケージ

TQFP14-80pin

(単位: mm)

The drawing shows a square package with a 14mm side length. The pin array is 12mm wide and 14mm high. Pin 1 is at the bottom-left corner. Dimensions include a 0.5mm pin pitch, a 0.17-0.27mm lead thickness, and a 0.09-0.2mm lead height. The package height is 1mm. An INDEX circle is located at the bottom-left corner.

図24.1 TQFP14-80pin/パッケージ寸法

(正)

## 24 パッケージ

QFP14-80pin

(単位: mm)

The drawing shows a square package with a 14mm side length. The pin array is 12mm wide and 14mm high. Pin 1 is at the bottom-left corner. Dimensions include a 0.5mm pin pitch, a 0.13min/0.27maxmm lead thickness, and a 0.09min/0.2maxmm lead height. The package height is 1.4mm. An INDEX circle is located at the bottom-left corner.

図24.1 QFP14-80pin/パッケージ寸法

## S1C17 ファミリテクニカルマニュアル正誤表

項目 パッド/バンブ配置			
対象マニュアル	発行 No.	項目	ページ
S1C17653 テクニカルマニュアル	412355700	29.2.1 パッド/バンブ配置	24-2
(誤)			
チップサイズ X = 2.637mm, Y = 2.543mm			
パッド開口部 No. 1~17, 37~47: X = 76 μm, Y = 85 μm			
No. 18~36, 48~67: X = 85 μm, Y = 76 μm			
バンブサイズ No. 1~17, 37~47: X = 70 μm, Y = 79 μm			
No. 18~36, 48~67: X = 79 μm, Y = 70 μm			
チップ厚 400 μm			
(正)			
チップサイズ X = 2.637mm, Y = 2.543mm			
パッド開口部 No. 1~17, 37~47: X = 76 μm, Y = 85 μm			
No. 18~36, 48~67: X = 85 μm, Y = 76 μm			
バンブサイズ No. 1~17, 37~47: X = 70 μm, Y = 79 μm			
No. 18~36, 48~67: X = 79 μm, Y = 70 μm			
チップ厚 400 μm			
アライメントマーク座標: 左上(X:-1206.1um, Y:1159.1um) 右下(X:1206.1um, Y:-1095.1um)			